THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CIV

January-December 2000

Subject Index

AERODYNAMICS

A new approach to the third order calibration of internal strain gauge balances used for aerodynamic load measurement. A.J. Niven and S.W. Tait, pp 501-508.

ACFD applications to store separation — status report. A. Cenko and M. Lutton, pp 459-466.

Active inlet flow control technology demonstration. J.W. Hamstra, D.N. Miller, P.P. Truax, B.A. Anderson and B.J. Wendt, pp 473- 479.

Aerodynamic characteristics of lambda wings. M.I. Woods and N.J. Wood, pp 165-174.

Aerofoil nose shapes delaying leading-edge separation. E.O. Tuck and A. Dostovalova, pp 433-437.

Aerospace and the environment. What contribution can aerodynamics make? D.I.A. Poll, pp 321-323.

An investigation of the grid fins as control surface devices formissiles. S. Chen, M. Khalid, H. Xu and F. Lesage, pp 183-190.

Calculation of compressible indicial response. S.T. Shaw and N. Qin, pp 665-673.

CFD for aerodynamic turbulent flows: progress and problems. B.E. Launder, pp 337-346.

Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump. H.P. Monner, E. Breitbach, Th. Bein and H. Hanselka, pp 89-95.

Effect of aircraft surface smoothness requirements on cost. A.K. Kundu, S. Raghunathan and R.K. Cooper, pp 415-420.

Experimental investigation of axisymmetric bodies with negative pressure gradients. I. Nesteruk, pp 439-443.

Future challenges and opportunities in aerodynamics. A. Kumar and J.N. Hefner, pp 365-373.

Improved estimation of lateral-directional derivatives of an augmented aircraft using filter error method. J. Singh and J.R. Raol, pp 209-214.

Interaction of missile propulsion and aerodynamics. C.R. Buchanan, A.J.T. Gemmill and P.G. Martin, pp 271-277.

Micro adaptive flow control. R. Wiezien, pp 453-458.

On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 1: interference of lee side bodies. R. Ramesh, M.A. Ramaswamy, B. Vasudevan and A. Prabhu, pp 561-567.

On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 2: effect of wing geometry. R. Ramesh, B. Vasudevan, M.A. Ramaswamy and A. Prabhu, pp 597-614.

Passive control of shock wave — boundary-layer interactions. T.M. Gibson, H. Babinsky and L.C. Squire, pp 129-140.

Prediction of scale effects at transonic speeds: current practice and a gaze into the future. A.B. Haines, pp 421-431.

Propulsion airframe integration design, analysis and challenges going into the 21st century. K. Early, pp 375-381.

Technology development for the high-speed civil transport. A.W. Wilhite and R.J. Shaw, pp 467-471.

The aerodynamic interaction at the junction between a forward-swept wing and a plate. A.D. Arnott and L. Bernstein, pp 67-88.

The influence of mid-chord battle damage on the aerodynamic characteristics of two-dimensional wings. A.J. Irwin and P.M. Render, pp 153-161.

The NASA tetrahedral unstructured software system (TetrUSS). N.T. Frink, S.Z. Pirzadeh, P.C. Parikh, M.J. Pandya and M.K. Bhat, pp 491-499.

Vortex formation and flow separation: the beauty and the beast in aerodynamics. A. Elsenaar, pp 615-633.

AEROELASTICITY

Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump. H.P. Monner, E. Breitbach, Th. Bein and H. Hanselka, pp 89-95.

AIRSHIPS

Analysis of the stability modes of the non-rigid airship. M.V. Cook, J.M. Lipscombe and F. Goineau, pp 279-290.

BOOK REVIEWS — BY AUTHOR

Anderson, J.D. Aircraft performance and design, p 297.

Barlow, J.B. *et al* Low-speed wind tunnel testing — third edition, p 162.

Bismarck-Nasr, M.N. Structural dynamics in aeronautical engineering, p 330.

Borden, B. Radar imaging of airborne targets: a primer for applied mathematicians and physicists, p 297.

Eshelby, M.E. Aircraft performance: theory and practice, p 297.

Farrell, J.A. and Barth, M. The global positioning system and inertial navigation, p 162.

Fielding, J.P. Introduction to aircraft design, p 236.

Helvajian, H. (Ed). Microengineering in aerospace systems, p 335.

Hodgkinson, J. Aircraft handling qualities, p 152.

Jenkinson, L.R. *et al* Civil jet aircraft design, p 236.

Kiselev, S.P. *et al* Foundations of fluid mechanics with applica tions: problem solving using Mathematic, p 330.

Labunsky, A.V. *et al* Multiple gravity assist interplanetary trajectories, p 224.

Lawrence, A. Modern inertial technology: navigation, guidance and control — second edition, p 224.

Leishman, J.G. Principles of helicopter aerodynamics, p 390.

Mathieu, J. and Scott, J. An introduction to turbulent flow, p 390.

Nakayama, Y. and Boucher, R.F. Introduction to fluid mechanics, p 96.
Pratt, R.W. (Ed). Flight control systems: practical issues in design and implementation, p 334.
Przemieniecki, J.S. Mathematical methods in defence analyses, p 634.
Rahnejat, H. Multi-body dynamics: vehicles, machines and mechanisms, p 634.
Raymer, D.P. Aircraft design : a conceptual approach, p 162.
Seddon, J. and Goldsmith, E.L. Intake aerodynamics — second edition, p 96.
Schleher, D.C. Electronic warfare in the information age, p 224.
Sirignano, W.A. Fluid dynamics and transport of droplets and sprays, p 236.
Sivasundaram, S. (Ed). Nonlinear problems in aviation and aerospace. Stability and control: theory, methods and applications. Series Vol II, p 390.
Stanislas, M. *et al* (Ed). Particle image velocimetry: progress towards industrial application, p 334.
Stinton, D. The anatomy of the aeroplane — second edition, p 96.
Sullivan, R.J. Microwave radar: imaging and advanced concepts, p 634.
Vinson, J.R. The behaviour of sandwich structures of isotropic and composite materials, p 298.
Virgin, L.N. Introduction to experimental nonlinear dynamics: a case study in mechanical vibration, p 334.
Whitford, R. Fundamentals of fighter design, p 298.

BOOK REVIEWS — BY TITLE

Aircraft design : a conceptual approach. D.P. Raymer, p 162.
Aircraft handling qualities. J. Hodgkinson, p 152.
Aircraft performance and design. J.D. Anderson, p 297.
Aircraft performance: theory and practice. M.E. Eshelby, p 297.
An introduction to turbulent flow. J. Mathieu and J. Scott, p 390.
Civil jet aircraft design. L.R. Jenkinson *et al*, p 236.
Electronic warfare in the information age. D.C. Schleher, p 224.
Flight control systems: practical issues in design and implementation. R.W. Pratt (Ed), p 334.
Fluid dynamics and transport of droplets and sprays. W.A. Sirignano, p 236.
Foundations of fluid mechanics with applications: problem solving using Mathematica. S.P. Kiselev *et al*, p 330.
Fundamentals of fighter design. R. Whitford, p 298.
Intake aerodynamics — second edition. J. Seddon and E.L. Goldsmith, p 96.
Introduction to aircraft design. J.P. Fielding, p 236.
Introduction to experimental nonlinear dynamics: a case study in mechanical vibration. L.N. Virgin, p 334.
Introduction to fluid mechanics. Y. Nakayama and R.F. Boucher, p 96.
Low-speed wind tunnel testing — third edition. J.B. Barlow *et al*, p 162.
Mathematical methods in defence analyses. J.S. Przemieniecki, p 634.
Microengineering in aerospace systems. H. Helvajian (Ed), p 335.
Microwave radar: imaging and advanced concepts. R.J. Sullivan, p 634.
Modern inertial technology: navigation, guidance and control — second edition. A. Lawrence, p 224.
Multi-body dynamics: vehicles, machines and mechanisms. H. Rahnejat, p 634.
Multiple gravity assist interplanetary trajectories. A.V. Labunsky *et al*, p 224.
Nonlinear problems in aviation and aerospace. Stability and control: theory, methods and applications. Series Vol II. S. Sivasundaram (Ed), p 390.
Particle image velocimetry: progress towards industrial application. M. Stanislas *et al* (Ed), p 334.
Principles of helicopter aerodynamics. J.G. Leishman, p 390.
Radar imaging of airborne targets: a primer for applied mathematicians and physicists. B. Borden, p 297.
Structural dynamics in aeronautical engineering. M.N. Bismarck–Nasr, p 330.
The anatomy of the aeroplane — second edition. D. Stinton, p 96.
The behaviour of sandwich structures of isotropic and composite materials. J.R.Vinson, p 298.
The global positioning system and inertial navigation. J.A. Farrell and M. Barth, p 162.

BUFFETING

Aerodynamic characteristics of lambda wings. M.I. Woods and N.J. Wood, pp 165-174.

COMPOSITES

Life extension of impact damaged honeycomb sandwich panels. R.R. Aitken, D.P.W. Horrigan and G. Moltschaniwskyj, pp 509-516.
Predicting impact damage of composite stiffened panels. G.A.O. Davies and X. Zhang, pp 97-103.
Tensile fracture of fibre reinforced metal laminates containing a circular hole. P.K. Govindan Potti, B. Nageswara Rao and V.K. Srivastava, pp 47-51.

COMPUTATIONAL FLUID DYNAMICS

ACFD applications to store separation - status report. A. Cenko and M. Lutton, pp 459-466.
Calculation of compressible indicial response. S.T. Shaw and N. Qin, pp 665-673.
CFD for aerodynamic turbulent flows: progress and problems. B.E. Launder, pp 337-346.
Experimental audit of the mixing-plane approach to turbomachinery analysis and a review of alternative multi-row techniques. C. Lockwood, P.C. Ivey and R.G. Wells, pp 117-124.
Future challenges and opportunities in aerodynamics. A. Kumar and J.N. Hefner, pp 365-373.
Propulsion airframe integration design, analysis and challenges going into the 21st century. K. Early, pp 375-381.
The aerodynamic interaction at the junction between a forward-swept wing and a plate. A.D. Arnott and L. Bernstein, pp 67-88.
The NASA tetrahedral unstructured software system (TetrUSS). N.T. Frink, S.Z. Pirzadeh, P.C. Parikh, M.J. Pandya and M.K. Bhat, pp 491-499.
Two dimensional direct numerical simulation of nonreacting confined supersonic mixing layer. D. Chakraborty, H.S. Mukunda and P.J. Paul, pp 291-296.

COMPUTATIONAL TECHNIQUES (GENERAL)

Exact modal analysis of an idealised whole aircraft using symbolic computation. J.R. Banerjee, pp 247-255.
Flight simulation — past, present and future. D.J. Allerton, pp 651-663.
Stress analysis of door and window of a passenger aircraft. V.G. Ukadgaonker, P.J. Awasare and S.V. Gade, pp 409-414.

DEFENCE

A generalisation of the Breguet range equation for multiple payload drops. N.S. Bardell, pp 635-649.
Computing the motion of spinning finned projectiles. P.G. Thomasson, pp 59-66.
The future of defence and aerospace research: a view from the front. J.E. Green, pp 39-46.
The influence of mid-chord battle damage on the aerodynamic characteristics of two-dimensional wings. A.J. Irwin and P.M. Render, pp 153-161.

DESIGN

Challenges in the better, faster, cheaper era of aeronautical design, engineering and manufacturing. E.M. Murman, M. Walton and E. Rebentisch, pp 481-489.
Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump. H.P. Monner, E. Breitbach, Th. Bein and H. Hanselka, pp 89-95.
Effect of aircraft surface smoothness requirements on cost. A.K. Kundu, S. Raghunathan and R.K. Cooper, pp 415-420.
Modelling, simulation and flight test experience in the development of unstable robotic aircraft. P.G. Thomasson, pp 359-364.

DYNAMICS

A comparison of turning radii for four Battle of Britain fighter aircraft. J.A.D. Ackroyd and P.J. Lamont, pp 53-58.

ACFD applications to store separation — status report. A. Cenko and M. Lutton, pp 459-466.
Analysis of the stability modes of the non-rigid airship. M.V. Cook, J.M. Lipscombe and F. Goineau, pp 279-290.
Calculation of compressible indicial response. S.T. Shaw and N. Qin, pp 665-673.
Computing the motion of spinning finned projectiles. P.G. Thomasson, pp 59-66.
Flight simulation - past, present and future. D.J. Allerton, pp 651-663.
Improved estimation of lateral-directional derivatives of an augmented aircraft using filter error method. J. Singh and J.R. Raol, pp 209-214.
Life extending control of aircraft: trade-off between flight performance and structural durability. A. Ray and J. Caplin, pp 397-408.
Low speed control of a second generation supersonic transport aircraft using integrated thrust vectoring. A.J. Steer, pp 237-245.
Micro adaptive flow control. R. Wiezien, pp 453-458.
Modelling, simulation and flight test experience in the development of unstable robotic aircraft. P.G. Thomasson, pp 359-364.
Recent experience in flight testing for pilot induced oscillations (PIO) on transport aircraft. B.P. Lee, pp 391-395.
Stability and control of STOVL aircraft: the design of longitudinal flight control laws. C. Fielding and M. Lodge, pp 383-389.
The Cranfield aircraft handling qualities rating scale: a multidimensional approach to the assessment of aircraft handling qualities. D. Harris, J. Gautrey, K. Payne and R. Bailey, pp 191-198.
The use of fuzzy logic in adaptive flight control systems. G. Mengali, pp 31-37.
Use of bifurcation diagrams in piloted test procedures. M.H. Lowenberg and Y. Patel, pp 225-235.

EDITOR'S NOTES

Guidelines for authors, p 452.
Introduction. J.L. Stollery, p 8.
Introduction. J.L. Stollery, p 38.
Introduction. The ICAS 2000 special editions. J.L. Stollery and J.E. Green, pp 336 and 444.

ENVIRONMENTAL ENGINEERING

Aerospace and the environment. What contribution can aerodynamics make? D.I.A. Poll, pp 321-323.
Airline emissions of carbon dioxide — the opportunity for voluntary agreement. Greener by Design Group. RAeS/BATA/SBAC/AOA, pp 305-309.
Civil aviation noise reduction with economic reality. A.J. Bradley, pp 301-304.
Technology development for the high-speed civil transport. A.W. Wilhite and R.J. Shaw, pp 467-471.
The role of aero engineering in the sustainable development of the aviation industry. C. Thomas and D. Raper, pp 331-333.
The truth about global warming. P.D. Ewins, pp 311-320.
The upper troposphere/lower stratosphere ozone programme: contributing to research on aviation impact. K.S. Law and R.G. Penkett, pp 325-329.

FATIGUE

Life extending control of aircraft: trade-off between flight performance and structural durability. A. Ray and J. Caplin, pp 397-408.
Life extension of impact damaged honeycomb sandwich panels. R.R. Aitken, D.P.W. Horrigan and G. Moltschaniwskyj, pp 509-516.
The meaning of life. J.W. Bristow, pp 264-270.

FLIGHT TESTING

Recent experience in flight testing for pilot induced oscillations (PIO) on transport aircraft. B.P. Lee, pp 391-395.

FLUID MECHANICS

CFD for aerodynamic turbulent flows: progress and problems. B.E. Launder, pp 337-346.
Investigation of the upstream end effect on the flow characteristics of yawed circular cylinders. A. Gatto, N.A. Ahmed and R.D. Archer, pp 125-128.
Some observations on the relaminarisation of a supersonic turbulent boundary layer. G.S. Cohen, F. Motallebi and H.P Horton, pp 557-559
The accuracy of flat plate, turbulent skin friction at supersonic speeds. L.C. Squire, pp 257-263.
Two dimensional direct numerical simulation of nonreacting confined supersonic mixing layer. D. Chakraborty, H.S. Mukunda and P.J. Paul, pp 291-296.
Vortex formation and flow separation: the beauty and the beast in aerodynamics. A. Elsenaar, pp 615-633.
Vortices, sound and flames — a damaging combination. A.P. Dowling, pp 105-116.

GUIDANCE AND NAVIGATION

Modelling, simulation and flight test experience in the development of unstable robotic aircraft. P.G. Thomasson, pp 359-364.

HISTORY

A comparison of turning radii for four Battle of Britain fighter aircraft. J.A.D. Ackroyd and P.J. Lamont, pp 53-58.
Planning for super safety: the fail-safe dimension. R.W. Howard, pp 517-555.
The United Kingdom's contributions to the development of aeronautics. Part 1. From antiquity to the era of the Wrights. J.A.D. Ackroyd, pp 9-30.
The United Kingdom's contributions to the development of aeronautics. Part 2. The development of the practical aeroplane (1900-1920). J.A.D. Ackroyd, pp 569-596.
50 years of turbomachinery research at Pyestock — part one: compressors. J. Dunham, pp 141-151.
50 years of turbomachinery research at Pyestock — part two: turbines. J. Dunham, pp 199-207.

LIFTING SURFACES

Aerodynamic characteristics of lambda wings. M.I. Woods and N.J. Wood, pp 165-174.
Aerofoil nose shapes delaying leading-edge separation. E.O. Tuck and A. Dostovalova, pp 433-437.
Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump. H.P. Monner, E. Breitbach, Th. Bein and H. Hanselka, pp 89-95.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 1: interference of lee side bodies. R. Ramesh, M.A. Ramaswamy, B. Vasudevan and A. Prabhu, pp 561-567.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 2: effect of wing geometry. R. Ramesh, B. Vasudevan, M.A. Ramaswamy and A. Prabhu, pp 615-633.
The aerodynamic interaction at the junction between a forward-swept wing and a plate. A.D. Arnott and L. Bernstein, pp 67-88.
The influence of mid-chord battle damage on the aerodynamic characteristics of two-dimensional wings. A.J. Irwin and P.M. Render, pp 153-161.
Vortex formation and flow separation: the beauty and the beast in aerodynamics. A. Elsenaar, pp 615-633.

MISSILES

ACFD applications to store separation — status report. A. Cenko and M. Lutton, pp 459-466.
An investigation of the grid fins as control surface devices for missiles. S. Chen, M. Khalid, H. Xu and F. Lesage, pp 183-190.
Interaction of missile propulsion and aerodynamics. C.R. Buchanan, A.J.T. Gemmill and P.G. Martin, pp 271-277.

NOISE

Civil aviation noise — reduction with economic reality. A.J. Bradley, pp 301-304.

Future challenges and opportunities in aerodynamics. A. Kumar and J.N. Hefner, pp 365-373.
NASA subsonic jet transport noise reduction research. C.A. Powell and J.S. Preisser, pp 353-358.
Technology development for the high-speed civil transport. A.W. Wilhite and R.J. Shaw, pp 467-471.

PERFORMANCE
A generalisation of the Breguet range equation for multiple payload drops. N.S. Bardell, pp 635-649.

PROPULSION
Active inlet flow control technology demonstration. J.W. Hamstra, D.N. Miller, P.P. Truax, B.A. Anderson and B.J. Wendt, pp 473-479.
Aerospace and the environment. What contribution can aerodynamics make? D.I.A. Poll, pp 321-323.
Experimental audit of the mixing-plane approach to turbomachinery analysis and a review of alternative multi-row techniques. C. Lockwood, P.C. Ivey and R.G. Wells, pp 117-124.
Interaction of missile propulsion and aerodynamics. C.R. Buchanan, A.J.T. Gemmill and P.G. Martin, pp 271-277.
International collaboration in super/hypersonic propulsion system research project (HYPR). M. Ito, pp 445-451.
Micro adaptive flow control. R. Wiezien, pp 453-458.
Propulsion airframe integration design, analysis and challenges going into the 21st century. K. Early, pp 375-381.
Vortices, sound and flames — a damaging combination. A.P. Dowling, pp 105-116.
50 years of turbomachinery research at Pyestock — part one: compressors. J. Dunham, pp 141-151.
50 years of turbomachinery research at Pyestock — part two: turbines. J. Dunham, pp 199-207.
2020 vision: the prospects for large civil aircraft propulsion. N.T. Birch, pp 347-352.

RESEARCH MANAGEMENT
The future of defence and aerospace research: a view from the front. J.E. Green, pp 39-46.

REMOTELY PILOTED VEHICLES (RPVs)
Modelling, simulation and flight test experience in the development of unstable robotic aircraft. P.G. Thomasson, pp 359-364.

SAFETY
Life extending control of aircraft: trade-off between flight performance and structural durability. A. Ray and J. Caplin, pp 397-408.
Life extension of impact damaged honeycomb sandwich panels. R.R. Aitken, D.P.W. Horrigan and G. Moltschaniwskyj, pp 509-516.
Planning for super safety: the fail-safe dimension. R.W. Howard, pp 517-555.
The meaning of life. J.W. Bristow, pp 264-270.

SPACE ENGINEERING
Space. R. Gibson, pp 215-223.

STRENGTH ANALYSIS
Elastic buckling design curves for isotropic rectangular plates with continuity or elastic edge restraint against rotation. C.B. York, pp 175-182 and errata p 278.
Elastic-plastic buckling behaviour of shafts in torsion. W.S. Robotham, T.H. Hyde, E.J. Williams and J.W. Taylor, pp 1-7.
Life extension of impact damaged honeycomb sandwich panels. R.R. Aitken, D.P.W. Horrigan and G. Moltschaniwskyj, pp 509-516.
Predicting impact damage of composite stiffened panels. G.A.O. Davies and X. Zhang, pp 97-103.
Stress analysis of door and window of a passenger aircraft. V.G. Ukadgaonker, P.J. Awasare and S.V. Gade, pp 409-414.
Technology development for the high-speed civil transport. A.W. Wilhite and R.J. Shaw, pp 467-471.
Tensile fracture of fibre reinforced metal laminates containing a circular hole. P.K. Govindan Potti, B. Nageswara Rao and V.K. Srivastava, pp 47-51.

TESTING FACILITIES AND TECHNIQUES
A new approach to the third order calibration of internal strain gauge balances used for aerodynamic load measurement. A.J. Niven and S.W. Tait, pp 501-508.
Flight simulation — past, present and future. D.J. Allerton, pp 651-663.
Improved estimation of lateral-directional derivatives of an augmented aircraft using filter error method. J. Singh and J.R. Raol, pp 209-214.
Prediction of scale effects at transonic speeds: current practice and a gaze into the future. A.B. Haines, pp 421-431.
The accuracy of flat plate, turbulent skin friction at supersonic speeds. L.C. Squire, pp 257-263.
Use of bifurcation diagrams in piloted test procedures. M.H. Lowenberg and Y. Patel, pp 225-235.

VIBRATION
Exact modal analysis of an idealised whole aircraft using symbolic computation. J.R. Banerjee, pp 247-255.

V/STOL
Calculation of compressible indicial response. S.T. Shaw and N. Qin, pp 651-663.
Micro adaptive flow control. R. Wiezien, pp 453-458.
Stability and control of STOVL aircraft: the design of longitudinal flight control laws. C. Fielding and M. Lodge, pp 383-389.

Author Index

ACKROYD, J.A.D.
The United Kingdom's contributions to the development of aeronautics. Part 1. From antiquity to the era of the Wrights, pp 9-30.
The United Kingdom's contributions to the development of aeronautics (1900-1920). Part 2. The development of the practical aeroplane, pp 569-596.

ACKROYD, J.A.D. and LAMONT, P.J.
A comparison of turning radii for four Battle of Britain fighter aircraft, pp 53-58.

AHMED, N.A., GATTO, A. and ARCHER, R.D.
Investigation of the upstream end effect on the flow characteristics of yawed circular cylinders, pp 125-128.

AITKEN, R.R., HORRIGAN, D.P.W. and MOLTSCHANIWSKJ, G.
Life extension of impact damaged honeycomb sandwich panels, pp 509-516.

ALLERTON, D.J.
Flight simulation — past, present and future, pp 651-663.

ANDERSON, B.A., HAMSTRA, J.W., MILLER, D.N., TRUAX, P.P. and WENDT, B.J.
Active inlet flow control technology demonstration, pp 473-479.

ARCHER, R.D., GATTO, A. and AHMED, N.A.
Investigation of the upstream end effect on the flow characteristics of yawed circular cylinders, pp 125-128.

ARNOTT, A.D. and BERNSTEIN, L.
The aerodynamic interaction at the junction between a forward-swept wing and a plate, pp 67-88.

AWASARE, P.J., UKADGAONKER, V.G. and GADE, S.V.
Stress analysis of door and window of a passenger aircraft, pp 409- 414.

BABINSKY, H., GIBSON, T.M. and SQUIRE, L.C.
Passive control of shock wave — boundary-layer interactions, pp 129-140.

BAILEY, R., HARRIS, D., GAUTREY, J. and PAYNE, K.
The Cranfield aircraft handling qualities rating scale: a multidimensional approach to the assessment of aircraft handling qualities, pp 191-198.

BANERJEE, J.R.
Exact modal analysis of an idealised whole aircraft using symbolic computation, pp 247-255.

BARDELL, N.S.
A generalisation of the Breguet range equation for multiple payload drops, pp 635-649.

BEIN, Th., MONNER, H.P., BREITBACH, E. and HANSELKA, H.
Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump, pp 89-95.

BERNSTEIN, L. and ARNOTT, A.D.
The aerodynamic interaction at the junction between a forward-swept wing and a plate, pp 67-88.

BHAT, M.K., FRINK, N.T., PIRZADEH, S.Z., PARIKH, P.C. and PANDYA, M.J.
The NASA tetrahedral unstructured software system (TetrUSS), pp 491-499.

BIRCH, N.T.
2020 vision: the prospects for large civil aircraft propulsion, pp 347- 352.

BRADLEY, A.J.
Civil aviation noise — reduction with economic reality, pp 301-304.

BREITBACH, E., MONNER, H.P., BEIN, Th. and HANSELKA, H.
Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump, pp 89-95.

BRISTOW, J.W.
The meaning of life, pp 264-270.

BUCHANAN, C.R., GEMMILL, A.J.T. and MARTIN, P.G.
Interaction of missile propulsion and aerodynamics, pp 271-277.

CAPLIN, J. and RAY, A.
Life extending control of aircraft: trade-off between flight performance and structural durability, pp 397-408.

CENKO, A. and LUTTON, M.
ACFD applications to store separation — status report, pp 459-466.

CHAKRABORTY, D., MUKUNDA, H.S. and PAUL, P.J.
Two dimensional direct numerical simulation of nonreacting confined supersonic mixing layer, pp 291-296.

CHEN, S., KHALID, M., XU, H. and LESAGE, F.
An investigation of the grid fins as control surface devices for missiles, pp 183-190.

COHEN, G.S., MOTALLEBI, F. and HORTON, H.P.
Some observations on the relaminarisation of a supersonic turbulent boundary layer, pp 557-559.

COOK, M.V., LIPSCOMBE, J.M. and GOINEAU, F.
Analysis of the stability modes of the non-rigid airship, pp 279-290.

COOPER, R.K., KUNDU, A.K. and RAGHANATHAN, S.
Effect of aircraft surface smoothness requirements on cost, pp 415-420.

DAVIES, G.A.O. and ZHANG, X.
Predicting impact damage of composite stiffened panels, pp 97-103.

DOSTOVALOVA, A. and TUCK, E.O.
Aerofoil nose shapes delaying leading-edge separation, pp 433-437.

DOWLING, A.P.
Vortices, sound and flames - a damaging combination, pp 105-116.

DUNHAM, J.
50 years of turbomachinery research at Pyestock — part one: compressors, pp 141-151.
50 years of turbomachinery research at Pyestock — part two: turbines, pp 199-207.

EARLY, K.
Propulsion airframe integration design, analysis and challenges going into the 21st century, pp 375-381.

ELSENAAR, A.
Vortex formation and flow separation: the beauty and the beast in aerodynamics, pp 615-633.

EWINS, P.D.
The truth about global warming, pp 311-320.

FIELDING, C. and LODGE, M.
Stability and control of STOVL aircraft: the design of longitudinal flight control laws, pp 383-389.

FRINK, N.T., PIRZADEH, S.Z., PARIKH, P.C., PANDYA, M.J. and BHAT, M.K.
The NASA tetrahedral unstructured software system (TetrUSS), pp 491-499.

GADE, S.V., UKADGAONKER, V.G. and AWASARE, P.J.
Stress analysis of door and window of a passenger aircraft, pp 409-414.

GATTO, A., AHMED, N.A. and ARCHER, R.D.
Investigation of the upstream end effect on the flow characteristics of yawed circular cylinders, pp 125-128.

GAUTREY, J., HARRIS, D., PAYNE, K. and BAILEY, R.
The Cranfield aircraft handling qualities rating scale: a multidimensional approach to the assessment of aircraft handling qualities, pp 191-198.

GEMMILL, A.J.T., BUCHANAN, C.R. and MARTIN, P.G.
Interaction of missile propulsion and aerodynamics, pp 271-277.

GIBSON, R.
Space, pp 215-223.

GIBSON, T.M., BABINSKY, H. and SQUIRE, L.C.
Passive control of shock wave — boundary-layer interactions, pp 129-140.

GOINEAU, F., COOK, M.V. and LIPSCOMBE, J.M.
Analysis of the stability modes of the non-rigid airship, pp 279-290.

GREEN, J.E.
The future of defence and aerospace research: a view from the front, pp 39-46.

GREEN, J.E. and STOLLERY, J.L.
Introduction. The ICAS 2000 special editions, pp 336 and 444.

GREENER BY DESIGN GROUP. RAeS/BATA/ SBAC/AOA
Airline emissions of carbon dioxide - the opportunity for voluntary agreement, pp 305-309.

HAINES, A.B.
Prediction of scale effects at transonic speeds: current practice and a gaze into the future, pp 421-431.

HAMSTRA, J.W., MILLER, D.N., TRUAX, P.P., ANDERSON, B.A. and WENDT, B.J.
Active inlet flow control technology demonstration, pp 473-479.

HANSELKA, H., MONNER, H.P., BREITBACH, E. and BEIN, Th.
Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump, pp 89-95.

HARRIS, D., GAUTREY, J., PAYNE, K. and BAILEY, R.
The Cranfield aircraft handling qualities rating scale: a multidimensional approach to the assessment of aircraft handling qualities, pp 191-198.

HEFNER, J.N. and KUMAR, A.
Future challenges and opportunities in aerodynamics, pp 365-373.

HORRIGAN, D.P.W., AITKEN, R.R. and MOLTSCHANIWSKJ, G.
Life extension of impact damaged honeycomb sandwich panels, pp 509-516.

HORTON, H.P., COHEN, G.S. and MOTALLEBI, F.
Some observations on the relaminarisation of a supersonic turbulent boundary layer, pp 557-559.

HOWARD, R.W.
Planning for super safety: the fail-safe dimension, pp 517-555.

HYDE, T.H., ROBOTHAM, W.S., WILLIAMS, E.J. and TAYLOR, J.W.
Elastic-plastic buckling behaviour of shafts in torsion, pp 1-7.

IRWIN, A.J. and RENDER, P.M.
The influence of mid-chord battle damage on the aerodynamic characteristics of two-dimensional wings, pp 153-161.

ITO, M.
International collaboration in super/hypersonic propulsion system research project (HYPR), pp 445-451.

IVEY, P.C., LOCKWOOD, C. and WELLS, R.G.
Experimental audit of the mixing-plane approach to turbomachinery analysis and a review of alternative multi-row techniques, pp 117-124.

KHALID, M., CHEN, S., XU, H. and LESAGE, F.
An investigation of the grid fins as control surface devices for missiles, pp 183-190.

KUMAR, A. and HEFNER, J.N.
Future challenges and opportunities in aerodynamics, pp 365-373.

KUNDU, A.K., RAGHANATHAN, S. and COOPER, R.K.
Effect of aircraft surface smoothness requirements on cost, pp 415-420.

LAMONT, P.J. and ACKROYD, J.A.D.
A comparison of turning radii for four Battle of Britain fighter aircraft, pp 53-58.

LAUNDER, B.E.
CFD for aerodynamic turbulent flows: progress and problems, pp 337-346.

LAW, K.S. and PENKETT, R.G.
The upper troposphere/lower stratosphere ozone programme: contributing to research on aviation impact, pp 325-329.

LEE, B.P.
Recent experience in flight testing for pilot induced oscillations (PIO) on transport aircraft, pp 391-395.

LESAGE, F., CHEN, S., KHALID, M. and XU, H.
An investigation of the grid fins as control surface devices for missiles, pp 183-190.

LIPSCOMBE, J.M., COOK, M.V. and GOINEAU, F.
Analysis of the stability modes of the non-rigid airship, pp 279-290.

LOCKWOOD, C., IVEY, P.C. and WELLS, R.G.
Experimental audit of the mixing-plane approach to turbomachinery analysis and a review of alternative multi-row techniques, pp 117-124.

LODGE, M. and FIELDING, C.
Stability and control of STOVL aircraft: the design of longitudinal flight control laws, pp 383-389.

LOWENBERG, M.H. and PATEL, Y.
Use of bifurcation diagrams in piloted test procedures, pp 225-235.

LUTTON, M. and CENKO, A.
ACFD applications to store separation — status report, pp 459-466.

MARTIN, P.G., BUCHANAN, C.R. and GEMMILL, A.J.T.
Interaction of missile propulsion and aerodynamics, pp 271-277.

MENGALI, G.
The use of fuzzy logic in adaptive flight control systems, pp 31-37.

MILLER, D.N., HAMSTRA, J.W., TRUAX, P.P., ANDERSON, B.A. and WENDT, B.J.
Active inlet flow control technology demonstration, pp 473-479.

MOLTSCHANIWSKJ, G., AITKEN, R.R. and HORRIGAN, D.P.W.
Life extension of impact damaged honeycomb sandwich panels, pp 509-516.

MONNER, H.P., BREITBACH, E., BEIN, Th. and HANSELKA, H.
Design aspects of the adaptive wing — the elastic trailing edge and the local spoiler bump, pp 89-95.

MOTALLEBI, F., COHEN, G.S. and HORTON, H.P.
Some observations on the relaminarisation of a supersonic turbulent boundary layer, pp 557-559.

MUKUNDA, H.S., CHAKRABORTY, D. and PAUL, P.J.
Two dimensional direct numerical simulation of nonreacting confined supersonic mixing layer, pp 291-296.

MURMAN, E.M., WALTON, M. and REBENTISCH, E.
Challenges in the better, faster, cheaper era of aeronautical design, engineering and manufacturing, pp 481-489.

NESTERUK, I.
Experimental investigation of axisymmetric bodies with negative pressure gradients, pp 439-443.

NIVEN, A.J. and TAIT, S.W.
A new approach to the third order calibration of internal strain gauge balances used for aerodynamic load measurement, pp 501-508.

PANDYA, M.J., FRINK, N.T., PIRZADEH, S.Z., PARIKH, P.C. and BHAT, M.K.
The NASA tetrahedral unstructured software system (TetrUSS), pp 491-499.

PARIKH, P.C., FRINK, N.T., PIRZADEH, S.Z., PANDYA, M.J. and BHAT, M.K.
The NASA tetrahedral unstructured software system (TetrUSS), pp 491-499.

PATEL, Y. and LOWENBERG, M.H.
Use of bifurcation diagrams in piloted test procedures, pp 225-235.

PAUL, P.J., CHAKRABORTY, D. and MUKUNDA, H.S.
Two dimensional direct numerical simulation of nonreacting confined supersonic mixing layer, pp 291-296.

PAYNE, K., HARRIS, D., GAUTREY, J. and BAILEY, R.
The Cranfield aircraft handling qualities rating scale: a multidimensional approach to the assessment of aircraft handling qualities, pp 191-198.

PENKETT, R.G. and LAW, K.S.
The upper troposphere/lower stratosphere ozone programme: contributing to research on aviation impact, pp 325-329.

PIRZADEH, S.Z., FRINK, N.T., PARIKH, P.C., PANDYA, M.J. and BHAT, M.K.
The NASA tetrahedral unstructured software system (TetrUSS), pp 491-499.

POLL, D.I.A.
Aerospace and the environment. What contribution can aerodynamics make?, pp 321-323.

POTTI, P.K. GOVINDAN, RAO, B. NAGESWARA and SRIVASTAVA, V.K.
Tensile fracture of fibre reinforced metal laminates containing a circular hole, pp 47-51.

POWELL, C.A. and PREISSER, J.S.
NASA subsonic jet transport noise reduction research, pp 353-358.

PRABHU, A., RAMESH, R., RAMASHWAMY, M.A. and VASUDEVAN, B.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 1: interference of lee side bodies, pp 561-567.

PRABHU, A., RAMESH, R., VASUDEVAN, B. and RAMASHWAMY, M.A.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 2: effect of wing geometry, pp 597-614.

PREISSER, J.S. and POWELL, C.A.
NASA subsonic jet transport noise reduction research, pp 353-358.

QIN, N. and SHAW, S.T.
Calculation of compressible indicial response, pp 665-673.

RAGHANATHAN, S., KUNDU, A.K. and COOPER, R.K.
Effect of aircraft surface smoothness requirements on cost, pp 415-420.

RAMASHWAMY, M.A., RAMESH, R., VASUDEVAN, B. and PRABHU, A.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 1: interference of lee side bodies, pp 561-567.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 2: effect of wing geometry, pp 597-614.

RAMESH, R., RAMASHWAMY, M.A., VASUDEVAN, B. and PRABHU, A.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 1: interference of lee side bodies, pp 561-567.

RAMESH, R., VASUDEVAN, B., RAMASHWAMY, M.A. and PRABHU, A.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 2: effect of wing geometry, pp 597-614.

RAO, B. NAGESWARA, POTTI, P.K. GOVINDAN and SRIVASTAVA, V.K.
Tensile fracture of fibre reinforced metal laminates containing a circular hole, pp 47-51.

RAOL, J.R. and SINGH, J.
Improved estimation of lateral-directional derivatives of an augmented aircraft using filter error method, pp 209-214.

RAPER, D. and THOMAS, C.
The role of aero engineering in the sustainable development of the aviation industry, pp 331-333.

RAY, A. and CAPLIN, J.
Life extending control of aircraft: trade-off between flight performance and structural durability, pp 397-408.

REBENTISCH, E., MURMAN, E.M. and WALTON, M.
Challenges in the better, faster, cheaper era of aeronautical design, engineering and manufacturing, pp 481-489.

RENDER, P.M. and IRWIN, A.J.
The influence of mid-chord battle damage on the aerodynamic characteristics of two-dimensional wings, pp 153-161.

ROBOTHAM, W.S., HYDE, T.H., WILLIAMS, E.J. and TAYLOR, J.W.
Elastic-plastic buckling behaviour of shafts in torsion, pp 1-7.

SHAW, R.J. and WILHITE, A.W.
Technology development for the high-speed civil transport, pp 467-471.

SHAW, S.T. and QIN, N.
Calculation of compressible indicial response, pp 665-673.

SINGH, J. and RAOL, J.R.
Improved estimation of lateral-directional derivatives of an augmented aircraft using filter error method, pp 209-214.

SQUIRE, L.C.
The accuracy of flat plate, turbulent skin friction at supersonic speeds, pp 257-263.

SQUIRE, L.C., GIBSON, T.M. and BABINSKY, H.
Passive control of shock wave — boundary-layer interactions, pp 129-140.

SRIVASTAVA, V.K., POTTI, P.K. GOVINDAN and RAO, B. NAGESWARA
Tensile fracture of fibre reinforced metal laminates containing a circular hole, pp 47-51.

STEER, A.J.
Low speed control of a second generation supersonic transport aircraft using integrated thrust vectoring, pp 237-245.

STOLLERY, J.L.
Introduction, p 8.
Introduction, p 38.

STOLLERY, J.L. and GREEN, J.E.
Introduction. The ICAS 2000 special editions, pp 336 and 444.

TAIT, S.W. and NIVEN, A.J.
A new approach to the third order calibration of internal strain gauge balances used for aerodynamic load measurement, pp 501-508.

TAYLOR, J.W., ROBOTHAM, W.S., HYDE, T.H. and WILLIAMS, E.J.
Elastic-plastic buckling behaviour of shafts in torsion, pp 1-7.

THOMAS, C. and RAPER, D.
The role of aero engineering in the sustainable development of the aviation industry, pp 331-333.

THOMASSON, P.G.
Computing the motion of spinning finned projectiles, pp 59-66.
Modelling, simulation and flight test experience in the development of unstable robotic aircraft, pp 359-364.

TRUAX, P.P., HAMSTRA, J.W., MILLER, D.N., ANDERSON, B.A. and WENDT, B.J.
Active inlet flow control technology demonstration, pp 473-479.

TUCK, E.O. and DOSTOVALOVA, A.
Aerofoil nose shapes delaying leading-edge separation, pp 433-437.

UKADGAONKER, V.G., AWASARE, P.J. and GADE, S.V.
Stress analysis of door and window of a passenger aircraft, pp 409-414.

VASUDEVAN, B., RAMESH, R., RAMASHWAMY, M.A. and PRABHU, A.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 1: interference of lee side bodies, pp 561-567.
On the aerodynamic characteristics of thin slab delta wings at hypersonic speeds — part 2: effect of wing geometry, pp 597-614.

WALTON, M., MURMAN, E.M. and REBENTISCH, E.
Challenges in the better, faster, cheaper era of aeronautical design, engineering and manufacturing, pp 481-489.

WELLS, R.G., LOCKWOOD, C. and IVEY, P.C.
Experimental audit of the mixing-plane approach to turbomachinery analysis and a review of alternative multi-row techniques, pp 117-124.

WENDT, B.J., HAMSTRA, J.W., MILLER, D.N., TRUAX, P.P. and ANDERSON, B.A.
Active inlet flow control technology demonstration, pp 473-479.

WIEZIEN, R.
Micro adaptive flow control, pp 453-458.

WILHITE, A.W. and SHAW, R.J.
Technology development for the high-speed civil transport, pp 467-471.

WILLIAMS, E.J., ROBOTHAM, W.S., HYDE, T.H. and TAYLOR, J.W.
Elastic-plastic buckling behaviour of shafts in torsion, pp 1-7.

WOOD, N.J. and WOODS, M.I.
Aerodynamic characteristics of lambda wings, pp 165-174.

WOODS, M.I. and WOOD, N.J.
Aerodynamic characteristics of lambda wings, pp 165-174.

YORK, C.B.
Elastic buckling design curves for isotropic rectangular plates with continuity or elastic edge restraint against rotation, pp 175-182 and errata p 278.

XU, H., CHEN, S., KHALID, M. and LESAGE, F.
An investigation of the grid fins as control surface devices for missiles, pp 183-190.

ZHANG, X. and DAVIES, G.A.O.
Predicting impact damage of composite stiffened panels, pp 97-103.

Volume CIV

Number 1031	January	1-51
Number 1032	February	53-103
Number 1033	March	105-162
Number 1034	April	165-207
Number 1035	May	209-255
Number 1036	June	257-298
Number 1037	July	301-335
Number 1038	August	337-395
Number 1039	September	397-443
Number 1040	October	445-499
Number 1041	November	501-567
Number 1042	December	569-683